


WHAT TO KNOW ABOUT SCPHD'S COVID-19 RISK LEVELS:

- The risk levels may be applied at the town, city, county, geographic, or regional level.
- **Different areas of SCPHD's region may be at different risk levels.** Risk levels can increase or decrease.
- In ALL risk levels, the preventive measures outlined in the Minimal Risk Level should be followed. ***Always prepare for the next risk level.***
- In addition to metrics determining exposure risk, public health officials will closely monitor and may take into consideration for movement to a different risk level the following:
 - Input from hospital partners
 - Trends in COVID-19 testing, including positivity rate and turn-around time of test results
 - Supplies of Personal Protective Equipment (PPE) for healthcare providers/first responders
 - Epidemiological investigation capacity
 - COVID-related hospitalizations and deaths
 - Syndromic surveillance of emergency department visits with COVID-like symptoms



COVID-19 HOTLINE • 208-737-1138 • www.phd5.idaho.gov

Last risk assessment: 6/17/2021

Metric Definitions

and weight
for each metric



South Central Public Health District

Prevent. Promote. Protect. phd5.idaho.gov

Using data from May 30th - June 12th

Positivity Rate for the County

Data is provided by Idaho Health and Welfare. This category is used mostly for context and has the least weight in the final assessment.

Average New Cases Per 10,000 residents.

This category reflects the trending case number on a rolling 14 day average. It indicates public health's ability to keep up with investigation and contact tracing for new cases. This category has less weight than hospital capacity and more weight than the positivity rate.

Hospital Capacity

Hospital Capacity includes the local healthcare facility's ability to treat all incoming patients, not just COVID -19 positive patients. This category has the most weight in the decision making for the final assessment.

Hospital capacity includes available staffing, available beds, available personal protective equipment, and other factors that may impact their ability to respond to medical emergencies. The final assigned capacity is determined by the local hospital in each county.

Other Epidemiological Factors

These factors indicate public health risk. These may include SIGNIFICANT outbreaks (outbreaks that are not controlled) in healthcare centers, schools, congregate living facilities, etc. They may also include case surges that overwhelm investigation efforts.

If SCPHD identifies any concerning factors, this category will have similar weight to the hospital capacity level.

Blaine County

Risk level: Minimal

Blaine County's average new case rate and positivity rates remain in the minimal tier. The public health district is not currently investigating any active outbreaks in local long-term care facilities.

COVID-19 variants have been detected in Blaine County. The area has a high vaccination rate.

Taking all major factors into account, the overall determined risk level is minimal.



South Central Public Health District
Prevent. Promote. Protect. phd5.idaho.gov

Using data from May 30th - June 12th

0.39%

Positivity Rate for the County
Provided by Idaho Health and Welfare

0

Average New Cases Per 10,000 residents
based on a 14 day rolling average.

Minimal

Hospital Capacity

Impact on the local level is minimal and the regional level is minimal.

NEW CASES BY AGE

Blaine County did not have enough new cases in this time period to report ages without potentially identifying the individuals who tested positive.

Minimal

Other Epidemiological Factors

SCPHD is investigating 0 outbreaks in local long-term care facilities. COVID-19 variants have been detected in Blaine County. This area has a high rate of vaccination.,

RISK LEVEL	METRICS MONITORED	MITIGATION STRATEGIES
<p>MINIMAL</p> <p>MINIMAL RISK</p>	<ol style="list-style-type: none"> 1. NEW DAILY CASES < 1 PER 10,000 POPULATION (FOURTEEN DAY ROLLING AVERAGE) 2. COVID-19 TESTING POSITIVE RATE < 5% 3. HOSPITAL CAPACITY FOR CARE IS NORMAL 	<p>At the green level, communities are on track for containment as long as they maintain routine levels of viral testing (i.e., this is not a reference to antibody testing) and contact tracing sufficient to control spikes and outbreaks.</p> <p>SCPHD will educate, inform, and share messages with stakeholders and the public throughout all levels.</p> <p>REGARDLESS OF THE RISK LEVEL THROUGHOUT THE REMAINDER OF THE PANDEMIC, EVERYONE IS ENCOURAGED TO DO THE FOLLOWING:</p> <ul style="list-style-type: none"> • Stay home if you are sick • Maintain physical distance of at least 6 feet from others (outside of immediate family) whenever possible • Wear face coverings in public that fully cover the nose and mouth when physical distancing is not possible or is difficult to maintain • Wash hands frequently for at least 20 seconds or use hand sanitizer • Vulnerable populations (older adults, individuals with underlying health conditions) take extra precautions • Carefully monitor your health

Camas County

Risk level: Minimal

Camas County's average new case rate is in the minimal risk level. The county does not have a local hospital, but there is minimal burden on the regional hospital. The COVID-19 variant has been detected in Idaho, but not in Camas County.

Taking all major factors into account, the overall determined risk level is minimal.



South Central Public Health District
Prevent. Promote. Protect. phd5.idaho.gov

Using data from May 30th - June 12th

0%

Positivity Rate for the County in the past week.
Provided by Idaho Health and Welfare

0

Average New Cases Per 10,000 residents based on a 14 day rolling average.

No Specific Hospital

Hospital Capacity

Hospital Capacity includes the local healthcare facility's ability to treat all incoming patients, not just COVID -19 positive patients.

NEW CASES BY AGE

Camas County did not have enough new cases in this time period to report ages without potentially identifying the individuals who tested positive.

Minimal

Other Epidemiological Factors

No local outbreaks. COVID-19 variants have been detected in Idaho.

RISK LEVEL	METRICS MONITORED	MITIGATION STRATEGIES
<p>MINIMAL</p> <p>MINIMAL RISK</p>	<ol style="list-style-type: none"> 1. NEW DAILY CASES < 1 PER 10,000 POPULATION (FOURTEEN DAY ROLLING AVERAGE) 2. COVID-19 TESTING POSITIVE RATE < 5% 3. HOSPITAL CAPACITY FOR CARE IS NORMAL 	<p>At the green level, communities are on track for containment as long as they maintain routine levels of viral testing (i.e., this is not a reference to antibody testing) and contact tracing sufficient to control spikes and outbreaks.</p> <p>SCPHD will educate, inform, and share messages with stakeholders and the public throughout all levels.</p> <p>REGARDLESS OF THE RISK LEVEL THROUGHOUT THE REMAINDER OF THE PANDEMIC, EVERYONE IS ENCOURAGED TO DO THE FOLLOWING:</p> <ul style="list-style-type: none"> • Stay home if you are sick • Maintain physical distance of at least 6 feet from others (outside of immediate family) whenever possible • Wear face coverings in public that fully cover the nose and mouth when physical distancing is not possible or is difficult to maintain • Wash hands frequently for at least 20 seconds or use hand sanitizer • Vulnerable populations (older adults, individuals with underlying health conditions) take extra precautions • Carefully monitor your health

Cassia County

Risk level: Minimal

Cassia County's average new case rate is in the minimal risk level. The overall hospital impact is minimal. COVID-19 variants have been detected in Idaho, but not in Cassia County.

Taking all major factors into account, the overall determined risk level is minimal.



South Central Public Health District

Prevent. Promote. Protect. phd5.idaho.gov

Using data from May 30th - June 12th

3.05%

Positivity Rate for the County in the past week.
Provided by Idaho Health and Welfare

0.39


Average New Cases Per 10,000 residents based on a 14 day rolling average.

Minimal

Hospital Capacity

Impact on the local level is minimal and regional level is minimal.

NEW CASES BY AGE



Minimal

Other Epidemiological Factors

SCPHD is monitoring 0 active outbreaks in a long-term care facility. COVID-19 variants have been detected in Idaho.

RISK LEVEL	METRICS MONITORED	MITIGATION STRATEGIES
<p style="text-align: center;">MINIMAL</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">MINIMAL RISK</p>	<ol style="list-style-type: none"> 1. NEW DAILY CASES < 1 PER 10,000 POPULATION (FOURTEEN DAY ROLLING AVERAGE) 2. COVID-19 TESTING POSITIVE RATE < 5% 3. HOSPITAL CAPACITY FOR CARE IS NORMAL 	<p>At the green level, communities are on track for containment as long as they maintain routine levels of viral testing (i.e., this is not a reference to antibody testing) and contact tracing sufficient to control spikes and outbreaks.</p> <p>SCPHD will educate, inform, and share messages with stakeholders and the public throughout all levels.</p> <p>REGARDLESS OF THE RISK LEVEL THROUGHOUT THE REMAINDER OF THE PANDEMIC, EVERYONE IS ENCOURAGED TO DO THE FOLLOWING:</p> <ul style="list-style-type: none"> • Stay home if you are sick • Maintain physical distance of at least 6 feet from others (outside of immediate family) whenever possible • Wear face coverings in public that fully cover the nose and mouth when physical distancing is not possible or is difficult to maintain • Wash hands frequently for at least 20 seconds or use hand sanitizer • Vulnerable populations (older adults, individuals with underlying health conditions) take extra precautions • Carefully monitor your health

Gooding County

Risk level: Minimal

Gooding County's average new case rate is in the minimal risk level. Overall, impact on the local and regional hospitals is minimal. COVID-19 variants have been detected in Gooding County, but have not seriously impacted the case rate.

Taking all major factors into account, the overall determined risk level is minimal.



South Central Public Health District

Prevent. Promote. Protect. phd5.idaho.gov

Using data from May 30th - June 12th

1.06%

Positivity Rate for the County in the past week.
Provided by Idaho Health and Welfare

0.13

Average New Cases Per 10,000 residents based on a 14 day rolling average.

Minimal

Hospital Capacity

Impact on the local level is minimal, but the regional level is minimal.

NEW CASES BY AGE

Gooding County did not have enough new cases in this time period to report ages without potentially identifying the individuals who tested positive.

Minimal

Other Epidemiological Factors

SCPHD is monitoring 0 active outbreaks in local long-term care facilities. COVID-19 variants have been detected in Idaho, including at least one case in this county.

RISK LEVEL	METRICS MONITORED	MITIGATION STRATEGIES
<p>MINIMAL</p> <p>MINIMAL RISK</p>	<ol style="list-style-type: none"> 1. NEW DAILY CASES < 1 PER 10,000 POPULATION (FOURTEEN DAY ROLLING AVERAGE) 2. COVID-19 TESTING POSITIVE RATE < 5% 3. HOSPITAL CAPACITY FOR CARE IS NORMAL 	<p>At the green level, communities are on track for containment as long as they maintain routine levels of viral testing (i.e., this is not a reference to antibody testing) and contact tracing sufficient to control spikes and outbreaks.</p> <p>SCPHD will educate, inform, and share messages with stakeholders and the public throughout all levels.</p> <p>REGARDLESS OF THE RISK LEVEL THROUGHOUT THE REMAINDER OF THE PANDEMIC, EVERYONE IS ENCOURAGED TO DO THE FOLLOWING:</p> <ul style="list-style-type: none"> • Stay home if you are sick • Maintain physical distance of at least 6 feet from others (outside of immediate family) whenever possible • Wear face coverings in public that fully cover the nose and mouth when physical distancing is not possible or is difficult to maintain • Wash hands frequently for at least 20 seconds or use hand sanitizer • Vulnerable populations (older adults, individuals with underlying health conditions) take extra precautions • Carefully monitor your health

Jerome County

Risk level: Minimal

Jerome County's average new case rate is in the minimal risk level. SCPHD is not monitoring any outbreaks in long-term care facilities. COVID-19 variants have been detected in this county, but no indication it has significantly impacted the case rate.

Taking all major factors into account, the overall determined risk level is minimal.



Using data from May 30th - June 12th

0%

Positivity Rate for the County in the past week.
Provided by Idaho Health and Welfare

0.32


Average New Cases Per 10,000 residents based on a 14 day rolling average.

Minimal

Hospital Capacity

Impact on the local level is minimal and regional level is minimal.

NEW CASES BY AGE



Minimal

Other Epidemiological Factors

SCPHD is monitoring 0 active outbreaks in local long-term care facilities. COVID-19 variants have been detected in Idaho including at least one in this County.

RISK LEVEL	METRICS MONITORED	MITIGATION STRATEGIES
<p data-bbox="159 371 349 409">MINIMAL</p> <p data-bbox="138 964 302 1287">MINIMAL RISK</p>	<ol data-bbox="414 371 948 720" style="list-style-type: none"> 1. NEW DAILY CASES < 1 PER 10,000 POPULATION (FOURTEEN DAY ROLLING AVERAGE) 2. COVID-19 TESTING POSITIVE RATE < 5% 3. HOSPITAL CAPACITY FOR CARE IS NORMAL 	<p data-bbox="1064 324 1876 517">At the green level, communities are on track for containment as long as they maintain routine levels of viral testing (i.e., this is not a reference to antibody testing) and contact tracing sufficient to control spikes and outbreaks.</p> <p data-bbox="1064 548 1810 617">SCPHD will educate, inform, and share messages with stakeholders and the public throughout all levels.</p> <p data-bbox="1064 648 1780 763">REGARDLESS OF THE RISK LEVEL THROUGHOUT THE REMAINDER OF THE PANDEMIC, EVERYONE IS ENCOURAGED TO DO THE FOLLOWING:</p> <ul data-bbox="1064 794 1862 1287" style="list-style-type: none"> • Stay home if you are sick • Maintain physical distance of at least 6 feet from others (outside of immediate family) whenever possible • Wear face coverings in public that fully cover the nose and mouth when physical distancing is not possible or is difficult to maintain • Wash hands frequently for at least 20 seconds or use hand sanitizer • Vulnerable populations (older adults, individuals with underlying health conditions) take extra precautions • Carefully monitor your health

Lincoln County

Risk level: Minimal

Lincoln County's case rate remains in the minimal risk tier. The positivity rate has increased to the moderate tier due to a small denominator (number of tests performed).

The regional hospital has minimal impact. There are no outbreaks in any local long-term care facilities. COVID-19 variants have been detected in Idaho, but not in Lincoln County.

Taking all major factors into account, the overall determined risk level is minimal.



South Central Public Health District

Prevent. Promote. Protect. phd5.idaho.gov

Using data from May 30th - June 12th

6.67%

Positivity Rate for the County in the past week.
Provided by Idaho Health and Welfare

0.13

Average New Cases Per 10,000 residents based on a 14 day rolling average.

No Specific Hospital

Hospital Capacity

Hospital Capacity includes the local healthcare facility's ability to treat all incoming patients, not just COVID -19 positive patients.

NEW CASES BY AGE

Lincoln County did not have enough new cases in this time period to report ages without potentially identifying the individuals who tested positive.

Minimal

Other Epidemiological Factors

SCPHD is monitoring 0 active outbreaks in local long-term care facilities. COVID-19 variants have been detected in Idaho, but not in this County

MINIMAL

MINIMAL RISK

1. NEW DAILY CASES < 1 PER 10,000 POPULATION (FOURTEEN DAY ROLLING AVERAGE)
2. COVID-19 TESTING POSITIVE RATE < 5%
3. HOSPITAL CAPACITY FOR CARE IS NORMAL

At the green level, communities are on track for containment as long as they maintain routine levels of viral testing (i.e., this is not a reference to antibody testing) and contact tracing sufficient to control spikes and outbreaks.

SCPHD will educate, inform, and share messages with stakeholders and the public throughout all levels.

REGARDLESS OF THE RISK LEVEL THROUGHOUT THE REMAINDER OF THE PANDEMIC, EVERYONE IS ENCOURAGED TO DO THE FOLLOWING:

- Stay home if you are sick
- Maintain physical distance of at least 6 feet from others (outside of immediate family) whenever possible
- Wear face coverings in public that fully cover the nose and mouth when physical distancing is not possible or is difficult to maintain
- Wash hands frequently for at least 20 seconds or use hand sanitizer
- Vulnerable populations (older adults, individuals with underlying health conditions) take extra precautions
- Carefully monitor your health

Minidoka County

Risk level: Minimal

Minidoka County's average new case rate and positivity rate remain in the minimal risk tier. SCPHD is not monitoring any local outbreaks in long-term care facilities. COVID-19 variants have been detected in Idaho, but not in Minidoka County.

Taking all major factors into account, the determined risk level is minimal.



South Central Public Health District

Prevent. Promote. Protect. phd5.idaho.gov

Using data from May 30th - June 12th

2.53%

Positivity Rate for the County in the past week.
Provided by Idaho Health and Welfare

0.27


Average New Cases Per 10,000 residents based on a 14 day rolling average.

Minimal

Hospital Capacity

Impact on the local hospital is minimal and regional hospital is minimal.

NEW CASES BY AGE



Minimal

Other Epidemiological Factors

SCPHD is monitoring 0 active outbreaks in local long-term care facilities. COVID-19 variants have been detected in Idaho but not in this County.

MINIMAL

MINIMAL RISK

1. NEW DAILY CASES < 1 PER 10,000 POPULATION (FOURTEEN DAY ROLLING AVERAGE)
2. COVID-19 TESTING POSITIVE RATE < 5%
3. HOSPITAL CAPACITY FOR CARE IS NORMAL

At the green level, communities are on track for containment as long as they maintain routine levels of viral testing (i.e., this is not a reference to antibody testing) and contact tracing sufficient to control spikes and outbreaks.

SCPHD will educate, inform, and share messages with stakeholders and the public throughout all levels.

REGARDLESS OF THE RISK LEVEL THROUGHOUT THE REMAINDER OF THE PANDEMIC, EVERYONE IS ENCOURAGED TO DO THE FOLLOWING:

- Stay home if you are sick
- Maintain physical distance of at least 6 feet from others (outside of immediate family) whenever possible
- Wear face coverings in public that fully cover the nose and mouth when physical distancing is not possible or is difficult to maintain
- Wash hands frequently for at least 20 seconds or use hand sanitizer
- Vulnerable populations (older adults, individuals with underlying health conditions) take extra precautions
- Carefully monitor your health

Twin Falls County

Risk level: Minimal

Twin Falls County's average new case rate is in the minimal risk level. Impact on the local and regional hospitals is minimal.

Two local long-term care facilities are experiencing outbreaks. COVID-19 variants have been detected in Twin Falls County.

Taking all major factors into account, the overall determined risk level is minimal.



South Central Public Health District

Prevent. Promote. Protect. phd5.idaho.gov

Using data from May 30th - June 12th

2.11%

Positivity Rate for the County in the past week.

Provided by Idaho Health and Welfare

0.52


Average New Cases Per 10,000 residents based on a 14 day rolling average.

Minimal

Hospital Capacity

Impact on the local and regional level is minimal.

NEW CASES BY AGE



Minimal

Other Epidemiological Factors

SCPHD is monitoring two active outbreaks in long-term care facilities. COVID-19 variants have been detected in Twin Falls County, but the impact has been minimal.

RISK LEVEL	METRICS MONITORED	MITIGATION STRATEGIES
<p style="text-align: center;">MINIMAL</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">MINIMAL RISK</p>	<ol style="list-style-type: none"> 1. NEW DAILY CASES < 1 PER 10,000 POPULATION (FOURTEEN DAY ROLLING AVERAGE) 2. COVID-19 TESTING POSITIVE RATE < 5% 3. HOSPITAL CAPACITY FOR CARE IS NORMAL 	<p>At the green level, communities are on track for containment as long as they maintain routine levels of viral testing (i.e., this is not a reference to antibody testing) and contact tracing sufficient to control spikes and outbreaks.</p> <p>SCPHD will educate, inform, and share messages with stakeholders and the public throughout all levels.</p> <p>REGARDLESS OF THE RISK LEVEL THROUGHOUT THE REMAINDER OF THE PANDEMIC, EVERYONE IS ENCOURAGED TO DO THE FOLLOWING:</p> <ul style="list-style-type: none"> • Stay home if you are sick • Maintain physical distance of at least 6 feet from others (outside of immediate family) whenever possible • Wear face coverings in public that fully cover the nose and mouth when physical distancing is not possible or is difficult to maintain • Wash hands frequently for at least 20 seconds or use hand sanitizer • Vulnerable populations (older adults, individuals with underlying health conditions) take extra precautions • Carefully monitor your health
RISK LEVEL	METRICS MONITORED	MITIGATION STRATEGIES

Crosswalk for Schools

[Idaho Back to School Framework](#) has identified three categories for determining transmission risk (table below). To assist schools located in the six-county region, South Central Public Health District has crosswalked the Idaho Back to School Framework with the COVID-19 Risk Level advisory system.

"Identify Level of Transmission Risk"			
	Category 1: No Community Transmission	Category 2: Minimal to Moderate Community Transmission	Category 3: Substantial Community Transmission
Definitions	Evidence of isolated cases, case investigations underway, no evidence of exposure in large communal setting, e.g., healthcare facility, school, mass gathering.	Widespread and/or sustained transmission with high likelihood or confirmed exposure within communal settings, with potential for rapid increase in suspected cases.	Large-scale community transmission, healthcare staffing significantly impacted, multiple cases within communal settings like healthcare facilities, schools, mass gatherings, etc.
Level of Operations	School buildings open with physical distancing and sanitation.	School buildings open but option of limited/staggered use of school buildings with physical distancing and sanitation.	Targeted, short-term, or extended building closure.



COVID-19
RISK LEVEL
GREEN



COVID-19
RISK LEVEL
YELLOW
ORANGE



COVID-19
RISK LEVEL
RED

DEFINITIONS

CRISIS STANDARDS OF CARE:

Guidance to help guide ethical decision-making for how to triage medical care when it has to be rationed.

Plan can be found on the [Idaho Department of Health and Welfare's website](#).

MEDICAL SURGE CAPACITY:

Medical surge capacity refers to the ability to evaluate and care for a markedly increased volume of patients—one that challenges or exceeds normal operating capacity. The surge requirements may extend beyond direct patient care to include such tasks as extensive laboratory studies or epidemiological investigations.

[Source](#)

TIMELINE FOR MEASUREMENTS

Data to support the corresponding Health Risk Level and any related mitigation strategies will be posted each Thursday by 5 pm.

Health Risk Levels will be made on Thursdays based on the prior two weeks starting on a Sunday and ending on a Saturday. Movement from one risk level to a lesser risk level will occur at 14-day intervals (one incubation period for COVID-19), while advancement to a level of higher risk can occur at any time.

MOVEMENT BETWEEN RISK LEVELS

Determinations to move to a more restrictive risk level may be made mid-stage if any of the criteria below are met:

- Crisis standards of care are implemented
- Senior leadership at a local hospital indicates that further increases in cases in the community will overwhelm local hospital capacity
- Reported cases exceed **> 5 daily new cases** per 10,000 people in a defined population (e.g., town, city, or county) or if new case rate adversely impacts SCPHD's ability to respond.